



Fraunhofer Institute for Open
Communication Systems

Competence Center
Modelling and Testing



Modelling und Testing: Model-Based Testing


Ina Schieferdecker
ina.schieferdecker@fokus.fraunhofer.de
+49 30 3463 7241

Outline

- Motivation
- Principles of Modell-Based Testing
- An Example Process
- Summary

Current Situation for Software-Based Systems

Number of successful software projects is decreasing




System and Test system

Although programmers, testers and program managers know that code must be designed and tested, many appear to be unaware that tests themselves must be designed and tested – by a process no less rigorous and no less controlled than that used for code.

Boris Beizer

The W-Model



- Reflected in the V-Modell XT by check lists
- No explicit requirement for such checks – a design issue
- Model-based testing as a way forward


© FOKUS, 2007

V-Modell-XT Tour, March 2007

www.fokus.fraunhofer.de/motion

Model-Based Testing

- ... refers to software testing where test cases are derived in whole or in part from a model that describes selected, often structural, functional, sometimes non-functional aspects of a system under test (SUT). [Wikipedia, 2007]



© FOKUS, 2007


V-Modell-XT Tour, March 2007

www.fokus.fraunhofer.de/motion


Model-Based Testing (2nd)

- Various system models exist such as:
 - Requirements models
 - Information models
 - Work flow models
 - Architectural models
 - Behavioural models
 - Configuration models
 - Deployment models
 - Performance models
 - Risk models
 - ...
- hence, model-based test methods differ in the system model being considered, the methods taken for test generation and the way test results are being obtained

MBT Placement in Testing



Principal Approach




© FOKUS, 2007

V-Modell-XT Tour, March 2007


www.fokus.fraunhofer.de/motion

Different Forms

System-driven



Test-driven




© FOKUS, 2007

V-Modell-XT Tour, March 2007

www.fokus.fraunhofer.de/motion


Different Forms (2nd)

Combined models



Different Forms (3rd)

Combined, but independent models



UML-Based Test Generation

UML diagram	Test Level				Test Kind		Test Method	
	Unit	Component	Integration	System	functional	non-functional	static	dynamic
Structure								
class	x	x	x	x	x		x	x
composite structure		x	x		x		x	x
component		x	x	x	x		x	x
deployment			x	x	x		x	
object		x	x		x		x	x
package			x		x		x	
Behavior								
use case			x	x	x	x ¹	x	x
activity			x	x	x	x ¹	x	x
sequence			x	x	x	x ¹	x	x
communication		x	x		x	x ¹	x	x
interaction overview			x	x	x	x ¹	x	x
timing		x	x			x ¹	x	x
state machine	x	x	x	x	x	x ¹	x	x

¹ By use of additional profiles


Test Specification Techniques

- The **Testing and Test Control Notation**
- A standardized alternative to proprietary test systems
 - Developed by a large group of testing experts
 - Used by a growing community
 - Proven by tools
 - Maintained at ETSI
- A test specification and implementation language
 - A multipart standard covering
 - textual TTCN-3 core
 - graphical TTCN-3
 - execution interfaces TRI and TCI
 - language mappings to TTCN-3, e.g. for IDL



Test Specification Techniques (2nd)

- TTCN-3: one test technology for different tests
 - Distributed, platform-independent testing
 - Integrated graphical test development, documentation and analysis
 - Adaptable, open test environment



▪ The testing middleware

- unifying the documentation and definition of tests
- unifying the tests in IT, Internet- and Telco-based systems (supporting their convergence)
- unifying the test infrastructure

▪ Areas of Testing

- Regression Testing
- Conformance/Functionality Testing
- Interoperability/Integration Testing
- Load/ Stress Testing

© FOKUS, 2007

V-Modell-XT Tour, March 2007

www.fokus.fraunhofer.de/motion

Test Specification Techniques (3rd)

- Test design with the UML Testing Profile
 - Integrated into UML based development processes
- U2TP has been defined to capture all information that would be needed by different test processes
- It is a testing profile based upon UML 2.0
 - That enables the test definition and test generation based on structural (static) and behavioral (dynamic) aspects of UML models, and
 - That is capable of inter-operation with existing test technologies for black-box testing
- It is an official OMG standard since summer 2005



© FOKUS, 2007


V-Modell-XT Tour, March 2007

www.fokus.fraunhofer.de/motion


Test Specification Techniques (4th)

	U2TP	TTCN-3
Test design	✓	(-)
Test specification	✓	✓
Test execution	(-)	✓
Format	Graphical	Textual and graphical
Transformation	U2TP to TTCN-3 (✓)	TTCN-3 to U2TP ✓

The Overall Picture



OMG MDA: A Model-Centric System Development




© FOKUS, 2007

V-Modell-XT Tour, March 2007

www.fokus.fraunhofer.de/motion

MDA Extended: Integrated Modelling and Testing




© FOKUS, 2007

V-Modell-XT Tour, March 2007

www.fokus.fraunhofer.de/motion

Detailed MDA Extended

Used for Japanese IT applications




© FOKUS, 2007

V-Modell-XT Tour, March 2007

www.fokus.fraunhofer.de/motion

Underlying Technologies




© FOKUS, 2007

V-Modell-XT Tour, March 2007

www.fokus.fraunhofer.de/motion

A Small Example




© FOKUS, 2007

V-Modell-XT Tour, March 2007

www.fokus.fraunhofer.de/motion

Run the Tests and Evaluate the Test Results



© FOKUS, 2007

V-Modell-XT Tour, March 2007

www.fokus.fraunhofer.de/motion

Summary

- Basic idea of model based testing approach:
Testing complex software by means of exhaustive coverage of relatively simple models
- Area of applicability:
Any software and hardware components with well-defined interfaces or functional properties
- Formalization of requirements allows improving most phases of software development processes
- Formalized methods should be well integrated in existence tools and processes
- Tools:
 - Numerous TTCN-3 tools, some U2TP tools
 - Selected test generation tools

MBT means also Test Models: TTCN-3 and U2TP

- Both are
 - test specification techniques
 - open to various domains
 - open to various development and test processes
- TTCN-3 is widely supported by tools, U2TP is emerging
- U2TP enables test design along UML based design processes
- TTCN-3 is the choice for technical testing and automated execution
- U2TP is the choice for high-level test design and modelling
- Both are a basis for systematic testing and can be integrated into the system development

Improvement Potentials

- Well-defined **test processes** in place
- Emphasis on **integration and system tests**
- **Test** development and **specification** like in system development
- Test development as **early** as possible and as **continuous** as possible
- Test **automation** in order to concentrate on the what to be tested and not the how
- **Test generation**
 - Testability of models
 - Test hypotheses, heuristics for efficient and effective test generation
 - Adequate reflection of test data in test generation
 - Definition and use of **test patterns**
- **Test quality** measures
- **Traceability** from requirements via models to tests, test campaigns and system bugs
- ...

Thank you !

Any further questions?